

NCOWCICB  
BOARD MEETING AGENDA and Minutes  
December 18, 2015 9:00 a.m.  
LOCATION: Hilton Garden Inn Raleigh Durham Airport  
1500 RDU Center Drive Morrisville NC 27560

9:00 a.m. CALL TO ORDER: 9:05  
OPENING PRAYER: Jerry Pearce  
ROLL CALL: all present  
READING OF ETHICS STATEMENT

ETHICS STATEMENT: In accordance with the State Government Ethics Act, it is the duty of every [Board] member to avoid both conflicts of interest and appearances of conflict.

Does any [Board] member have any known conflict of interest or appearance of conflict with respect to any matters coming before the [Board] today?

If so, please identify the conflict or appearance of conflict and refrain from any undue participation in the particular matter involved.

Read by Russ Davis, Diana Rashash will not vote nor participate on NCSU class, Jerry Pearce will not vote nor participate on NCSTA

9:05 a.m. RECOGNITION OF ANY ATTENDING PUBLIC AND REQUEST TO ADDRESS BOARD (PLEASE NOTE: PUBLIC MAY ADDRESS THE BOARD DURING THIS SECTION OF BOARD MEETING. BOARD WILL NOT RESPOND TO COMMENTS OR REQUEST MADE BY PUBLIC. REQUEST MADE BY PUBLIC DURING THIS SESSION WILL BE PLACED ON A FUTURE BOARD AGENDA FOR DISCUSSION. PUBLIC WILL BE ALLOWED MAXIMUM OF FIVE (5) MINUTES PER PERSON TO ADDRESS BOARD. PUBLIC WILL NOT BE ALLOWED COMMENT FOR REMAINDER OF BOARD MEETING.

---

Doug Lassiter NCSTA

9:10 a.m. Approval of Minutes from September 18, 2015 meeting (see minutes attached)  
Motion to approve DIANA RASHASH 2<sup>nd</sup> JERRY PEARCE approved

9:15 a.m. Update from Administrator:

- The due date for renewals to be paid on time was November 15<sup>th</sup>. The renewals received to date are ahead of years past with more certification holders paying on time.
- A new certification class was just held and there were 30 students in attendance. Each class held for new certifications this year has

had around 30 students so we are seeing more seeking certification than we have in past years.

- **REMINDER** Any Board member that has not taken the required Ethics training should do so immediately. Once you have taken the course please send me a copy of the completion certificate. Information for required Ethics training for Board members can be found at <http://www.ethicscommission.nc.gov/education/default.aspx>

- The following is what the Ethics Commission records show regarding the Board member's Ethics Training:

Board Member	Last Date Rcvd	Next Due Date
Russ Davis	3/8/13	3/8/15
Russ Ayers	11/30/15	11/30/17
Jerry Pearce	6/12/15	6/12/17
Diana Rashash	9/18/15	9/18/17
Glenn Hines	4/9/14	4/9/16
Jeff Knight	6/25/13	6/25/15
Mark Brooks	4/14/14	4/14/16
Walter James	11/17/14	11/17/16
Adam Waters	11/6/14	11/6/16
Connie Stephens(EL)	4/7/15	4/7/17

If anyone believes their records are incorrect and they have proof of having taken the education course more recently, please contact Sue Lundberg, Education Attorney at 919-715-2071.

- End of the year reminder: SEI forms are due no later than April 15, 2015. These must be filed each year. If there are no changes and you file on time you should be able to use the short form. Once you have filed the SEI please send me notification that you have filed. This is the link for the SEI form and instructions: <http://www.ethicscommission.nc.gov/sei/blankForm.aspx>
- Please note the timeliness of your required education and filing of SEI is extremely important.
- Class Approval Request:
  - NCSU class approval request:
    - Re-approval for all classes approved in 2015
    - Motion to approve, Jerry Pearce, 2<sup>nd</sup> Glenn Hines, approved
  - NCSTA class approval request:
    - Re-approval for regional classes held in 2015
    - Motion to approve Glenn Hines, 2<sup>nd</sup> Jeff Knight, approved

Albermarle Regional Health class approval request:

Re-approval for class approved in 2015

Motion to approve Diana Rashash, 2<sup>nd</sup> Jerry Pearce,  
approved

Carteret County Environmental Health class approval  
request:

Re-approval for class approved in 2015

Motion to approve Diana Rashash, 2<sup>nd</sup> Jeff Knight,  
approved

Johnston County Annual Meeting class approval request:

Re-approval for class approved in 2015

Motion to reapprove Jeff Knight, 2<sup>nd</sup> Diana Rashash,  
approved

Chatham County Annual Meeting class approval request:

Re-approval for class approved in 2015

Motion to approve Jerry Pearce, 2<sup>nd</sup> Jeff Knight, approved

Granville Vance County class approval request:

Re-approval for class approved in 2015

Motion to approve Diana Rashash, 2<sup>nd</sup> Jeff Knight,  
approved

- New Rules: The rules adopted by the Board at the September meeting were approved by RCC at the November meeting with an effective date of 1/1/16. There were some wording changes made by RCC however the intent of the rules remained. A clean copy of these rules is attached to the agenda. A copy of the new rules will be mailed to each certification holder and a revised inspection form will be mailed to each inspector reflecting the changes. These will be mailed prior to effective date of 1/1/16.

With these rules the question has come up “will an electronic signature be accepted” Considering the tech world we live in acceptance of an electronic signature should not pose a problem

Rule as written does not require signature only written permission and may come in several formats. Much discussion held.

10:15 a.m. Treasurer's Report by Jerry Pearce, Treasurer  
Financial Report as of October 31, 2015

Monies on hand:  
North State Bank Operating Account \$ 53,368.21  
Capital Bank Operating Account \$110,253.96  
Select Bank\* \$234,602.82  
Bank of Oak Ridge\* \$231,481.83  
Sound Bank\* \$203,680.83  
New Bridge Bank\* \$202,113.53  
Total Monies on hand \$1,035,501.18

(\*CD held for future enforcement)

See detailed YTD Financial Report Attached

A new operating account with Capital Bank was opened. This account will have not service charge fees. The North State Bank Operating Account Balance is being transferred into a CD held for future enforcement.

Motion to approve Jeff Knight, 2<sup>nd</sup> Walter James, approved

10:30 a.m. Board shall enter Closed Session for discussion of complaints received  
Notes:

Motion to enter Diana Rashash, 2<sup>nd</sup> Walter James, approved

11:00 a.m. Board shall re-enter regular session  
Motion to re-enter regular session Walter James, 2<sup>nd</sup> Diana Rashash, approved  
Status of complaints from previous meeting: Letters have been sent and certification holders are within the period to request hearing or accept Board decision. If hearings are requested Board will be notified of potential hearing dates

THE FOLLOWING COMPLAINTS WERE DISCUSSED IN CLOSED SESSION:

Complaint number: 10150101 send to Anna for prosecution, letter to certified person with admission of guilt

Complaint number: 12100101 order investigation

Complaint number: 11201501 no violation found, send to Anna to write letter stating such

Motion to accept above decisions made in closed session Jerry Pearce, 2<sup>nd</sup> Walter James

11:15 a.m. Other Business:  
Update from Counsel Anna Choi  
Files for complaints received shortly after meeting of Board and documents are reviewed by Exec Director

Some injunctions take some time to process due to service issues

Gave update on PED Evaluation there is a new committee has been formed (APO) which meets only outside of session, they meet January 5<sup>th</sup> Anna will be attending this meeting

Anna will send me revised power point on training and will be sent out to the Board

Next scheduled Board meetings will be May 13, 2016 and December 9 2016 in Raleigh

12:00 p.m. Adjourn Meeting motion to adjourn Walter James, 2<sup>nd</sup> Jerry Pearce

NCOWCICB Financial Report as of October 31, 2015

Monies on hand:

Monies on hand:	
North State Bank Operating Account	\$ 53,368.21
Capital Bank Operating Account	\$110,253.96
Select Bank*	\$234,602.82
Bank of Oak Ridge*	\$231,481.83
Sound Bank*	\$203,680.83
New Bridge Bank*	<u>\$202,113.53</u>
Total Monies on hand	\$1,035,501.18

(\*CD held for future enforcement)

YTD Receipts\*\*

Fees Received	\$76,275
Interest Income	<u>\$ 1,228</u>
Total Receipts	\$77,503

YTD Expenditures\*\*

Postage	\$ 1,978
Printing	\$ 4,773
Travel – Board	\$ 1,971
Travel – Staff	\$ 1,017
Telephone	\$ 2,094
Misc Expense	\$ 100
Bank Charges	\$ 163
Accounting	\$ 11,250
Contract Labor	\$ 24,266
Office Expense	\$ 252
Depreciation	\$ 176
Investigations	\$ 2,212
Legal Fees	<u>\$ 5,491</u>
Total Expenditures	\$ 55,743

(\*\*Fiscal year runs July 1 – June 30<sup>th</sup>)

**CHAPTER 39 - ON-SITE WASTEWATER CONTRACTORS AND INSPECTORS CERTIFICATION BOARD**

**SECTION .0100 - DUTIES AND DEFINITIONS**

**21 NCAC 39 .0101 DEFINITIONS**

In addition to the terms defined in Article 5 of Chapter 90A of the General Statutes, the following definitions apply to the rules in this Chapter:

- (1) "Ancillary" means an on-site wastewater system that is included in a primary construction project.
- (2) "Building being constructed" means primary construction of a site-built single family residence.
- (3) "College course" means a semester unit or quarter unit based instruction given at a college or university that is relevant to on-site wastewater contractor or inspector activities, and is pre-approved by the board as set out in Rule .0603 of this Chapter.
- (4) "Course or Activity" means any course or activity with a clear purpose and objective that will maintain, improve, or expand skills and knowledge relevant to the practice of on-site wastewater contractor or inspector activities and pre-approved by the board.
- (5) "Personally supervise" means to direct and control all on-site wastewater contractor or inspector activities during the time those activities are being conducted.
- (6) "Professional development hour" or "PDH" means an hour of instruction or presentation and is the basic unit of credit for all courses or activities related to satisfying continuing education requirements.
- (7) "Repair" means construction activity or alteration to an existing on-site wastewater system that is necessary to comply with a Construction Authorization for a repair permit issued by the Local Health Department.
- (8) "Wastewater Treatment Facility" as defined in G.S. 90A-71(8).

*History Note: Authority G.S. 90A-71; 90A-72; 90A-74;  
Eff. February 1, 2011;  
Amended Eff. January 1, 2016; January 1, 2013.*

**SECTION .0300 - ONSITE WASTEWATER CONTRACTOR OR INSPECTOR FEES**

**21 NCAC 39 .0301 SCHEDULE OF CERTIFICATION FEES**

(a) Application fees are:

Grade Level	Initial Fee	Renewal Fee
I	\$150.00	\$75.00
II	\$200.00	\$75.00
III	\$250.00	\$75.00
IV	\$300.00	\$75.00
Inspector Certificate	\$200.00	\$75.00
Combination Contractor Certification Grade Level and Inspector Certificate	Sum of individual fees	\$125.00

- (b) Application fees shall not be pro-rated.
  - (c) The fee for re-instatement of a revoked or suspended certification is five hundred dollars (\$500.00).
  - (d) The fee for certificate replacement or duplication is twenty-five dollars (\$25.00).
  - (e) The fee for late renewal is twenty-five dollars (\$25.00). This fee is charged if the renewal request is received after December 31.
  - (f) The fee for each returned check is twenty-five dollars (\$25.00).
- 0All fees are non-refundable.

*History Note: Authority G.S. 25-3-506; 90A-72(a); 90A-74; 90A-75; 90A-77(f); 90A-78(b);  
Eff. February 1, 2011;*

Amended Eff. January 1, 2016.

**SECTION .0400 - CERTIFICATION BY EXAMINATION**

**21 NCAC 39 .0401 ON-SITE WASTEWATER CONTRACTOR OR INSPECTOR EXAMINATIONS**

- (a) On-site wastewater contractor or inspector examinations shall be comprehensive examinations that are standardized statewide.
- (b) The exam questions shall be based on the grade levels.
- (c) Combination certification shall require taking and passing the individual component exams.
- (d) A grade on the examination of 70 percent or more shall be passing. Results of the examination shall be reported as either passing or failing.

*History Note: Authority G.S. 90A-72; 90A-74; 90A-77;  
Eff. February 1, 2011;  
Amended Eff. January 1, 2016.*

**SECTION .0600 - CONTINUING EDUCATION REQUIREMENTS**

**21 NCAC 39 .0601 REQUIREMENTS**

- (a) Every certified on-site wastewater contractor or inspector shall obtain Professional Development Hours (PDH) units during the renewal period as described in the following table:

Level	Annual PDH Units Required
I	3
II	3
III	6
IV	6
Inspector	6
Combination Contractor Grade Level and Inspector	6

- (b) The certified on-site wastewater contractor or inspector shall select courses and activities that have been approved as set out in 21 NCAC 39 .0602.
- (c) Professional Development Hours (PDH) shall be accepted by the Board for approved courses pursuant to 21 NCAC 39 .0603. Hours for all other courses shall be submitted by providers to the Board for approval pursuant to 21 NCAC 39 .0602. If not approved, no PDH shall be granted for the course.
- (d) The class provider or authorized representative of the class provider shall certify that each class attendee was present for at least 85 percent of the class. Any attendee present for less time shall not receive credit for the class.

*History Note: Authority G.S. 90A-72; 90A-74; 90A-77; 90A-78; 90A-79;  
Eff. February 1, 2011;  
Amended Eff. January 1, 2016; January 1, 2013.*

**21 NCAC 39 .0602 APPROVAL OF CONTINUING EDUCATION COURSES**

- (a) All continuing education courses shall be approved by the Board before PDH can be granted.
- (b) All continuing education courses shall be approved on an annual basis.
- (c) The Board shall approve courses that instruct on on-site wastewater contractor or inspector activities and the use of on-site wastewater contractor or inspector equipment, products, and materials. The Board shall determine that courses and activities contain a clear purpose and objective and result in the maintenance, improvement, or expansion of skills and knowledge related to the practice of on-site wastewater contractor or inspector activities. Providers may request approval of courses or activities from the Board by obtaining and completing a form available

on the Board's website (www.ncowcib.info) or by a written request to the Board that provides the following information:

- (1) Course content;
- (2) Course schedule;
- (3) Level of instruction provided (Level 1, 2, 3, 4, Inspector, or level 4/Inspector); Combination Contractor Grade Level and Inspector);
- (4) Qualifications of instructors (including both education and experience); and
- (5) Materials provided, field experiences, and other activities available in connection with the course(s).

*History Note:* Authority G.S. 90A-72; 90A-74; 90A-77; 90A-78; 90A-79;  
Eff. February 1, 2011;  
Amended Eff. January 1, 2016.

## **SECTION .0700 - PROCEDURES FOR DISCIPLINARY ACTIONS**

### **21 NCAC 39 .0701 REVOCATION, OR SUSPENSION OF CERTIFICATION**

- (a) The Board may revoke or suspend the certification of an on-site wastewater contractor or inspector in accordance with the provisions of G.S. 90A-80, 90A-81 and Article 3A of Chapter of 150B of the NC General Statutes. For holders of the Combination Contractor Grade Level and Inspector certifications, the Board may revoke or suspend either or both certifications.
- (b) A certificate holder may relinquish a certificate by submission to the Board of the original certificate and a notarized statement of relinquishment.
- (c) The Board may restrict the certificate of an on-site wastewater contractor or inspector. Written notice of the restriction shall be delivered in accordance with the provisions of service in G.S. 150B-42. A copy of the letter shall be kept in the on-site wastewater contractor or inspector's file. The on-site wastewater contractor or inspector shall be given the opportunity to put a letter of rebuttal into the file. The letter shall be received by the Board within 30 days of receipt of the written notice.

*History Note:* Authority G.S. 90A-72; 90A-74; 90A-80; 90A-81;  
Eff. February 1, 2011;  
Amended Eff. January 1, 2016.

## **SECTION .0800 – ONSITE WASTEWATER CONTRACTOR OR INSPECTORS CODE OF ETHICS**

### **21 NCAC 39 .0801 CODE OF ETHICS**

- (a) Contractors and inspectors shall at all times recognize their primary obligation is to protect the public in the performance of their professional duties and shall conduct the practice of those duties in a manner that protects the public health, safety and welfare.
- (b) Opinions expressed by contractors and inspectors in the discharge of their duties shall only be based on their education and experience.
- (c) Neither a contractor nor an inspector shall disclose any information about the results of an inspection without the approval of the client for whom the inspection was performed, or the client's designated representative, except as required by law.
- (d) No contractor or inspector shall accept compensation or any other consideration from more than one interested party for the same service without the consent of all interested parties.
- (e) No contractor or inspector shall accept or offer commissions or allowances, directly or indirectly, from or to other parties dealing with the client in connection with work for which the licensee is responsible.
- (f) No contractor or inspector shall provide an appraisal nor express an opinion of the market value of the inspected property during an inspection or in the inspection report.
- (g) Before the execution of a contract to perform an on-site wastewater system inspection, an inspector shall disclose to the client any interest the inspector has in a business that may affect the client. No licensee shall allow his or her interest in any business to affect the quality or results of the inspection work that the inspector may be called upon to perform.
- (h) Before the execution of a contract to perform an on-site wastewater system installation, a contractor shall disclose to the client any interest a contractor has in a business that may affect the client. No licensee shall allow his

or her interest in any business to affect the quality or results of the installation work that the contractor may be called upon to perform.

- (i) Contractors shall not knowingly or willfully install a non-permitted system.
- (j) Contractors shall not knowingly or willfully install a system or any part of a system other than what is specified in the permit by the local health department.
- (k) Contractors and inspectors shall not engage in false or misleading advertising, documentation, and reporting or otherwise misrepresent any matters to the public.
- (l) Contractors and inspectors shall discharge their duties in accordance with Article 5 of Chapter 90A of the North Carolina General Statutes and the rules of the Board.
- (m) No inspector shall subcontract with another inspector for an on-site wastewater system inspection without the knowledge and signed consent of the client.
- (n) The contractor of record shall be the responsible party for the on-site wastewater system installation or repair.

*History Note:* Authority G.S. 90A-72; 90A-74;  
Eff. November 1, 2011;  
Amended Eff. January 1, 2016.

## **21 NCAC 39 .1002 GENERAL REQUIREMENTS**

Inspectors shall:

- (1) Provide a written contract, signed by the client or client's representative, before the on-site wastewater system inspection is performed that:
  - (a) States that the on-site wastewater system inspection is conducted in accordance with Rules .1004, .1005, and .1006 of this Section; and
  - (b) Describes what services shall be provided and their cost.
- (2) Obtain written permission from the owner or owner's representative to perform the inspection.
- (3) Inspect readily openable and accessible installed systems and components listed in this Section.
- (4) Submit a written report to the client or client representative within 10 business days of the inspection that:
  - (a) Describes those systems and components required to be described in Rules .1005 through .1006 of this Section;
  - (b) States which systems and components designated for inspection in this Section have been inspected, and state any systems or components designated for inspection that were not inspected, and the reason for not inspecting. Failure to locate the system or components for inspection or "could not locate" shall not be the same as "not visible." If the system or component is not located, the written report shall state the failure to locate the system or components for inspection or "could not locate;"
  - (c) States any systems or components inspected that do not function as intended or harm the wastewater treatment system;
  - (d) States whether the condition reported requires repair or subsequent observation, or warrants further evaluation by the local health department. The statements shall describe the component or system and how the condition is defective, explain the consequences of the condition, and refer the recipient to the local health department or a certified on-site wastewater contractor; and
  - (e) States the name, license number, and signature of the certified inspector.
- (5) Maintain records for a period of seven years.

*History Note:* Authority G.S. 90A-71; 90A-72; 90A-74;  
Eff. October 1, 2011;  
Amended Eff. January 1, 2016; April 1, 2014.

## **21 NCAC 39 .1004 GENERAL EXCLUSIONS**

- (a) Inspectors shall not be required to report on:
  - (1) Life expectancy of any component or system;
  - (2) The causes of the need for a repair;
  - (3) The methods, materials, and costs of corrections;
  - (4) The suitability of the property for any specialized use;

- (5) The market value of the property or its marketability;
  - (6) The advisability or inadvisability of purchase of the property; or
  - (7) Normal wear and tear to the system.
- (b) Inspectors shall not be required to:
- (1) Identify property lines;
  - (2) Offer warranties or guarantees of any kind;
  - (3) Calculate the strength, adequacy, or efficiency of any system or component;
  - (4) Operate any system or component that does not respond to normal operating controls;
  - (5) Move excessive vegetation, structures, personal items, panels, furniture, equipment, snow, ice, or debris that obstruct access to or visibility of the system and any related components;
  - (6) Determine the presence or absence of any suspected adverse environmental condition or hazardous substance, including toxins, carcinogens, noise, and contaminants in the building or in soil, water, and air;
  - (7) Determine the effectiveness of any system installed to control or remove suspected hazardous substances;
  - (8) Predict future condition, including failure of components;
  - (9) Project operating costs of components;
  - (10) Evaluate acoustical characteristics of any system or component; or
  - (11) Inspect equipment or accessories that are not listed as components to be inspected in this Section.
- (c) Inspectors and Contractors shall not:
- (1) Offer or perform any act or service contrary to Article 5 of G.S. 90A or the rules of this Chapter; or
  - (2) Offer or perform engineering, architectural, plumbing, electrical, pesticide or any other job function requiring an occupational license in the jurisdiction where the inspection, installation, or repair is taking place, unless the on-site wastewater system inspector or contractor holds a valid occupational license in that field, in which case the inspector or contractor shall inform the client that the inspector or contractor is so licensed.

*History Note: Authority G.S. 90A-72; 90A-74;  
Eff. October 1, 2011;  
Amended Eff. January 1, 2016.*

**21 NCAC 39 .1006 MINIMUM ON-SITE WASTEWATER SYSTEM INSPECTION**

- (a) The inspector shall obtain, evaluate, describe, or determine the following during the inspection:
- (1) Advertised number of bedrooms as stated in the realtor Multiple Listing Service information or by a sworn statement of owner or owner's representative; and
  - (2) Designed system size (gallons per day or number of bedrooms) as stated in available local health department information, such as the current operation permit or the current repair permit.
- (b) The inspector shall obtain, evaluate, describe, or determine the following during the inspection:
- (1) Requirement for a certified subsurface water pollution control system operator pursuant to G.S. 90A-44, current certified operator's name, and most recent performance, operation and maintenance reports (if applicable and available);
  - (2) Type of water supply, such as well, spring, public water, or community water;
  - (3) Location of septic tank and septic tank details:
    - (A) Distance from house or other structure;
    - (B) Distance from well, if applicable;
    - (C) Distance from water line, if applicable and readily visible;
    - (D) Distance from property line, if said property lines are known;
    - (E) Distance from finished grade to top of tank or access riser;
    - (F) Presence and type of access risers;
    - (G) Condition of tank lids;
    - (H) Condition of tank baffle wall;
    - (I) Water level in tank relative to tank outlet;
    - (J) Condition of outlet tee;
    - (K) Presence and condition of outlet filter, if applicable;
    - (L) Presence and extent of roots in the tank;

- (M) Evidence of tank leakage;
  - (N) Evidence of inflow non-permitted connections, such as from downspouts or sump pumps;
  - (O) Connection present from house to tank;
  - (P) Connection present from tank to next component;
  - (Q) Date tank was last pumped, if known; and
  - (R) Percentage of solids (sludge and scum) in tank;
- (4) Location of pump tank and pump tank details:
- (A) Distance from house or other structure;
  - (B) Distance from well or spring, if applicable;
  - (C) Distance from water line, if applicable;
  - (D) Distance from property line, if said property lines are known;
  - (E) Distance from finished grade to top of tank or access riser;
  - (F) Distance from septic tank;
  - (G) Presence and type of access risers;
  - (H) Condition of tank lids;
  - (I) Location of control panel;
  - (J) Condition of control panel;
  - (K) Audible and visible alarms (as applicable) work;
  - (L) Pump turns on, and effluent is delivered to next component; and
  - (M) Lack of electricity at time of inspection prevented complete evaluation;
- (5) Location of dispersal field and dispersal field details:
- (A) Type of dispersal field;
  - (B) Distance from property line, if said property lines are known;
  - (C) Distance from septic tank and also pump tank if a pump tank exists;
  - (D) Number of lines;
  - (E) Length of lines;
  - (F) Evidence of past or current surfacing at time of inspection;
  - (G) Evidence of traffic over the dispersal field;
  - (H) Vegetation, grading, and drainage with respect only to their effect on the condition of the system or system components; and
  - (I) Confirmation that system effluent is reaching the drainfield; and
- (6) Conditions that prevented or hindered the inspection or determination of Subparagraph (b)(1) through (b)(5) of this Rule.
- (c) If a client declines to allow a tank to be pumped, the inspection form shall contain the statement:  
 "Client requesting this inspection has been advised that for a complete inspection to be performed, the tank needs to be pumped. Client has declined to have the tank pumped at inspection and hereby acknowledges they have so declined." A space shall be provided for the client signature and date.
- (d) The inspector shall not:
- (1) Insert any tool, probe, or testing device inside pump system control panels; or
  - (2) Dismantle any electrical device or control other than to remove the covers of the main and auxiliary control panels.

*History Note: Authority G.S. 90A-72; 90A-74;  
 Eff. October 1, 2011;  
 Amended Eff. January 1, 2016; April 1, 2014.*